

兔抗 EIF4E (Phospho-Ser209)多克隆抗体

中文名称：兔抗 EIF4E (Phospho-Ser209)多克隆抗体

英文名称：Anti-EIF4E (Phospho-Ser209) rabbit polyclonal antibody

别名：CBP; EIF4F; AUTS19; EIF4E1; EIF4EL1

相关类别：一抗

储存：冷冻 (-20℃) 避光

宿主：Rabbit

抗原：EIF4E (Phospho-Ser209)

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Recognizes and binds the 7-methylguanosine-containing mRNA cap during an early step in the initiation of protein synthesis and facilitates ribosome binding by inducing the unwinding of the mRNAs secondary structures.
Applications:	WB, IHC, IF
Name of antibody:	EIF4E (Phospho-Ser209)
Immunogen:	Synthetic peptide of human EIF4E (Phospho-Ser209)
Full name:	eukaryotic translation initiation factor 4E (Phospho-Ser209)
Synonyms :	CBP; EIF4F; AUTS19; EIF4E1; EIF4EL1
SwissProt:	P06730
IHC positive control:	Human breast carcinoma

IHC Recommend dilution:	50-100
WB Predicted band size:	25 kDa
WB Positive control:	HT29 cells treated with Anisomycin
WB Recommended dilution:	500-1000
IF Positive control:	MCF cells
IF Recommended dilution	100-200



