

兔抗 EMC10 多克隆抗体

中文名称: 兔抗 EMC10 多克隆抗体

英文名称: Anti-EMC10 rabbit polyclonal antibody

别 名: HSM1; HSS1; C19orf63

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: EMC10

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

EMC10, also known as C19orf63, C19orf63 is a 262 am ino acid protein that exists as two alternatively isoform s and are encoded by a gene located on human chro mosome 19. Chromosome 19 consists of approximately 63 million bases and makes up over 2% of human gen omic DNA. Chromosome 19 includes a diversity of inte resting genes and is recognized for having the greates t gene density of the human chromosomes. It is the g enetic home for a number of immunoglobulin superfa mily members including the killer cell and leukocyte Ig -like receptors, a number of ICAMs, the CEACAM and PSG family, and Fc α receptors. Key genes for eye color and hair color also map to chromosome 19. Peutz-Jeg



全国订货电话 4008-723-722

	hers syndrome, spinocerebellar ataxia type 6, the strok e disorder CADASIL, hypercholesterolemia and insulin-d ependent diabetes have been linked to chromosome 1 9. Translocations with chromosome 19 and chromosom e 14 can be seen in some lymphoproliferative disorder s and typically involve the proto-oncogene BCL3.
Applications:	ELISA, WB, IHC
Name of antibody:	EMC10
Immunogen:	Synthetic peptide of human EMC10
Full name:	ER membrane protein complex subunit 10
Synonyms:	HSM1; HSS1; C19orf63
SwissProt:	Q5UCC4
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and human lung cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	27 kDa
WB Positive control:	Jurkat,PC-3 and A549 cell lysates
WB Recommended dilution:	200-1000









