

兔抗 PTX3 多克隆抗体

中文名称：兔抗 PTX3 多克隆抗体

英文名称： Anti-PTX3 rabbit polyclonal antibody

别名： TSG-14; TNFAIP5

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： PTX3

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|----------------------|---|
| Background: | Ptx3, also known as tumor necrosis factor-stimulated gene sequence-14 (TSG14), is a secreted pattern-recognition receptor that has a non-redundant role in resistance to selected microbial agents. Ptx3 belongs to the family of "long pentraxins", which have C-terminal pentraxin domains and novel amino-terminal domains. Ptx3 binds selected pathogens, including <i>Aspergillus fumigatus</i> , <i>Pseudomonas aeruginosa</i> and <i>Salmonella typhimurium</i> . It is synthesized in IgA glomerulonephritis and activates mesangial cells. |
| Applications: | ELISA, WB, IHC |

| | |
|------------------------------------|------------------------------------|
| Name of antibody: | PTX3 |
| Immunogen: | Synthetic peptide of human PTX3 |
| Full name: | pentraxin 3, long |
| Synonyms : | TSG-14; TNFAIP5 |
| SwissProt: | P26022 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human liver cancer and Human brain |
| IHC Recommend dilution: | 10-50 |
| WB Predicted band size: | 42 kDa |
| WB Positive control: | Hepg2 cells |
| WB Recommended dilution: | 500-2000 |



