

兔抗 MTERF1 多克隆抗体

| | |
|-------|--|
| 中文名称: | 兔抗 MTERF1 多克隆抗体 |
| 英文名称: | Anti-MTERF1 rabbit polyclonal antibody |
| 别名: | MTERF |
| 相关类别: | 一抗 |
| 储存: | 冷冻 (-20℃) 避光 |
| 宿主: | Rabbit |
| 抗原: | MTERF1 |
| 反应种属: | Human |
| 标记物: | Unconjugate |
| 克隆类型: | Unconjugate |

技术规格

| | |
|--------------------------|---|
| Background: | This gene encodes a mitochondrial transcription termination factor. This protein participates in attenuating transcription from the mitochondrial genome; this attenuation allows higher levels of expression of 16S ribosomal RNA relative to the tRNA gene downstream. The product of this gene has three leucine zipper motifs bracketed by two basic domains that are all required for DNA binding. There is evidence that, for this protein, the zippers participate in intramolecular interactions that establish the three-dimensional structure required for DNA binding. |
| Applications: | WB, IHC |
| Name of antibody: | MTERF1 |
| Immunogen: | Synthesized peptide derived from internal of human MTERF. |

| | |
|---------------------------------|--|
| Full name: | mitochondrial transcription termination factor 1 |
| Synonyms : | MTERF |
| SwissProt: | Q99551 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 46 kDa |
| WB Positive control: | Jurkat cells lysate |
| WB Recommended dilution: | 500-3000 |



