

兔抗 ESRP2 多克隆抗体

中文名称:	兔抗 ESRP2 多克隆抗体
英文名称:	Anti-ESRP2 rabbit polyclonal antibody
别名:	epithelial splicing regulatory protein 2; RBM35B
相关类别:	一抗
储存:	冷冻 (-20℃)
抗原:	ESRP2
宿主:	Rabbit
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	mRNA splicing factor that regulates the formation of epithelial cell-specific isoforms. Specifically regulates the expression of FGFR2-IIIb, an epithelial cell-specific isoform of FGFR2. Also regulates the splicing of CD44, CTNND1, ENAH, 3 transcripts that undergo changes in splicing during the epithelial-to-mesenchymal transition (EMT). Acts by directly binding specific sequences in mRNAs. Binds the GU-rich sequence motifs in the ISE/ISS-3, a cis-element regulatory region present in the mRNA of FGFR2.
Applications:	ELISA, WB, IHC
Name of antibody:	ESRP2
Immunogen:	Synthetic peptide of human ESRP2

Full name:	epithelial splicing regulatory protein 2
Synonyms:	RBM35B
SwissProt:	Q9H6T0
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer and Human thyroid cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	78 kDa
WB Positive control:	Human bladder transitional cell carcinoma grade 2-3 tissue lysate
WB Recommended dilution:	200-1000



