

兔抗 EVC2 多克隆抗体

中文名称: 兔抗 EVC2 多克隆抗体

英文名称: Anti-EVC2 rabbit polyclonal antibody

别 名: LBN

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: EVC2

反应种属: Human, Mouse

标 记 物: Unconjugate


克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a protein that functions in bone for mation and skeletal development. Mutations in this gen e, as well as in a neighboring gene that lies in a head-t o-head configuration, cause Ellis-van Creveld syndrome, an autosomal recessive skeletal dysplasia that is also kn own as chondroectodermal dysplasia. Mutations in this gene also cause acrofacial dysostosis Weyers type, also r eferred to as Curry-Hall syndrome, a disease that combines limb and facial abnormalities. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	EVC2
Immunogen:	Synthetic peptide of human EVC2



Full name:	EvC ciliary complex subunit 2
Synonyms:	LBN; WAD
SwissProt:	Q86UK5
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human cervical cancer and Human colorectal cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	148 kDa
WB Positive control:	Raji and A375 cell lysates
WB Recommended dilution:	500-2000



TW-reagent.com

