

兔抗 EXOG 多克隆抗体

中文名称:	兔抗 EXOG 多克隆抗体
英文名称:	Anti-EXOG rabbit polyclonal antibody
别名:	exo/endonuclease G; ENGL; ENGLA; ENGLB; ENGL-a; ENGL-b; ENDOGL1; ENDOGL2
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	EXOG
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	This gene encodes an endo/exonuclease with 5'-3' exonuclease activity. The encoded enzyme catalyzes the hydrolysis of ester linkages at the 5' end of a nucleic acid chain. This enzyme is localized to the mitochondria and may play a role in programmed cell death. Alternatively spliced transcript variants have been described. A pseudogene exists on chromosome 18. [provided by RefSeq, Feb 2009]
Applications:	ELISA, WB, IHC
Name of antibody:	EXOG
Immunogen:	Fusion protein of human EXOG
Full name:	exo/endonuclease G
Synonyms:	ENGL; ENGLA; ENGLB; ENGL-a; ENGL-b; ENDOGL1; ENDOGL2

SwissProt:	Q9Y2C4
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human colorectal cancer
IHC Recommend dilution:	150-300
WB Predicted band size:	41 kDa
WB Positive control:	K562, LOVO, HT-29, HUVEC cell lysates
WB Recommended dilution:	500-2000



