

## 兔抗 F2 多克隆抗体

中文名称: 兔抗 F2 多克隆抗体

英文名称: Anti-F2 rabbit polyclonal antibody

别名: PT; THPH1; RPRGL2

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: F2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | Coagulation factor II is proteolytically cleaved to form thrombin in the first step of the coagulation cascade which ultimately results in the stemming of blood loss. F2 also plays a role in maintaining vascular integrity during development and postnatal life. Finally, peptides derived from the C-terminus of this protein have antimicrobial activity against E. coli and P. aeruginosa. Mutations in F2 leads to various forms of thrombosis and dysprothrombinemia. |
| <b>Applications:</b>     | ELISA, IHC   |
| <b>Name of antibody:</b> | F2   |
| <b>Immunogen:</b>        | Synthetic peptide of human F2  |
| <b>Full name:</b>        | coagulation factor II (thrombin)   |

|                                    |  |
|------------------------------------|--|
| <b>Synonyms :</b>                  | PT; THPH1; RPRGL2                              |
| <b>SwissProt:</b>                  | P00734   |
| <b>ELISA Recommended dilution:</b> | 2000-5000                                      |
| <b>IHC positive control:</b>       | Human thyroid cancer and Human prostate cancer |
| <b>IHC Recommend dilution:</b>     | 25-100   |

