

小鼠抗 CYCS 单克隆抗体

中文名称:	小鼠抗 CYCS 单克隆抗体
英文名称:	Anti-CYCS mouse monoclonal antibody
别名:	cytochrome c; somatic; CYC; HCS; THC4
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Mouse
抗原:	CYCS
反应种属:	Human, Mouse
标记物:	Unconjugate
克隆类型:	mouse monoclonal

技术规格

Background:	This gene encodes a small heme protein that functions as a central component of the electron transport chain in mitochondria. The encoded protein associates with the inner membrane of the mitochondrion where it accepts electrons from cytochrome b and transfers them to the cytochrome oxidase complex. This protein is also involved in initiation of apoptosis. Mutations in this gene are associated with autosomal dominant nonsyndromic thrombocytopenia. Numerous processed pseudogenes of this gene are found throughout the human genome.
Applications:	WB, IHC
Name of antibody:	CYCS
Immunogen:	Fusion protein of human CYCS
Full name:	cytochrome c, somatic

Synonyms:	CYC; HCS; THC4
SwissProt:	P99999
IHC positive control:	Human tonsil and Human thyroid cancer; Human ovarian cancer and Human esophagus cancer
IHC Recommend dilution:	100-500
WB Predicted band size:	12 kDa
WB Positive control:	Hela, 231, HepG2 and Jurkat cell, Mouse kidney tissue lysates
WB Recommended dilution:	5000-20000



