

兔抗 FBXW8 多克隆抗体

- 中文名称：兔抗 FBXW8 多克隆抗体
- 英文名称：Anti-FBXW8 rabbit polyclonal antibody
- 别名：F-box and WD repeat domain containing 8; FBW6; FBW8; FBX29; FBXW6; FBXO29
- 相关类别：一抗
- 抗原：FBXW8
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 反应种属：Human
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a member of the F-box protein family, members of which are characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into three classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene contains a WD-40 domain, in addition to an F-box motif, so it belongs to the

	Fbw class. Alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene.
Applications:	ELISA, IHC
Name of antibody:	FBXW8
Immunogen:	Synthetic peptide of human FBXW8
Full name:	F-box and WD repeat domain containing 8
Synonyms:	FBW6; FBW8; FBX29; FBXW6; FBXO29
SwissProt:	Q8N3Y1
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and Human breast cancer
IHC Recommend dilution:	50-300



