

兔抗 FCGRT 多克隆抗体

中文名称:	兔抗 FCGRT 多克隆抗体
英文名称:	Anti-FCGRT rabbit polyclonal antibody
别名:	Fc fragment of IgG receptor and transporter; FCRN; alpha-chain
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	FCGRT
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	This gene encodes a receptor that binds the Fc region of monomeric immunoglobulin G. The encoded protein transfers immunoglobulin G antibodies from mother to fetus across the placenta. This protein also binds immunoglobulin G to protect the antibody from degradation. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	FCGRT
Immunogen:	Synthetic peptide of human FCGRT
Full name:	Fc fragment of IgG receptor and transporter
Synonyms:	FCRN; alpha-chain
SwissProt:	P55899

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human thyroid cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	40 kDa
WB Positive control:	Human placenta tissue lysate
WB Recommended dilution:	500-2000



