

兔抗 MAPK4 多克隆抗体

中文名称：兔抗 MAPK4 多克隆抗体

英文名称：Anti-MAPK4 rabbit polyclonal antibody

别名：mitogen-activated protein kinase 4; ERK4; ERK-4; PRKM4; p63MAPK; p63-MAPK

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MAPK4

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Mitogen-activated protein kinase 4 is a member of the mitogen-activated protein kinase family. Tyrosine kinase growth factor receptors activate mitogen-activated protein kinases which then translocate into the nucleus and phosphorylate nuclear targets. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	MAPK4
Immunogen:	Synthetic peptide of human MAPK4
Full name:	mitogen-activated protein kinase 4
Synonyms:	ERK4; ERK-4; PRKM4; p63MAPK; p63-MAPK
SwissProt:	P31152
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human esophagus cancer
IHC Recommend dilution:	30-150

WB Predicted band size:	66 kDa
WB Positive control:	293T cell, Human heart tissue, Raji and LNCAP cell lysates
WB Recommended dilution:	500-2000



