

兔抗 FOS(Phospho-Thr232) 多克隆抗体

中文名称：兔抗 FOS(Phospho-Thr232) 多克隆抗体

英文名称： Anti-FOS(Phospho-Thr232) rabbit polyclonal antibody

别名： p55; AP-1; C-FOS

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： FOS(Phospho-Thr232)

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The Fos gene family consists of 4 members: FOS, FOS B, FOSL1, and FOSL2. These genes encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. In some cases, expression of the FOS gene has also been associated with apoptotic cell death. [provided by RefSeq, Jul 2008]
Applications:	WB, IHC
Name of antibody:	FOS(Phospho-Thr232)
Immunogen:	Peptide sequence around phosphorylation site of threonine 232(V-A-T(p)-P-E) derived from Human FOS .

Full name:	FBJ murine osteosarcoma viral oncogene homolog
Synonyms :	p55; AP-1; C-FOS
SwissProt:	P01100
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	41 kDa
WB Positive control:	COS7 cells lysates
WB Recommended dilution:	500-1000



