

## 兔抗 FOSB 多克隆抗体

|       |                                      |
|-------|--------------------------------------|
| 中文名称: | 兔抗 FOSB 多克隆抗体                        |
| 英文名称: | Anti-FOSB rabbit polyclonal antibody |
| 别名:   | AP-1; G0S3; GOS3; GOSB               |
| 相关类别: | 一抗                                   |
| 储存:   | 冷冻 (-20℃)                            |
| 宿主:   | Rabbit                               |
| 抗原:   | FOSB                                 |
| 反应种属: | Human, Mouse                         |
| 标记物:  | Unconjugate                          |
| 克隆类型: | rabbit polyclonal                    |

### 技术规格

|                          |  |
|--------------------------|--|
| <b>Background:</b>       | The Fos gene family consists of 4 members: FOS, FOS B, FOSL1, and FOSL2. These genes encode leucine zip per proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. |
| <b>Applications:</b>     | ELISA, WB, IHC   |
| <b>Name of antibody:</b> | FOSB   |
| <b>Immunogen:</b>        | Synthetic peptide of human FOSB  |
| <b>Full name:</b>        | FBJ murine osteosarcoma viral oncogene homolog B   |

|                                    |   |
|------------------------------------|---|
| <b>Synonyms :</b>                  | AP-1; GOS3; GOS3; GOSB  |
| <b>SwissProt:</b>                  | P53539  |
| <b>ELISA Recommended dilution:</b> | 2000-5000   |
| <b>IHC positive control:</b>       | Human liver cancer and Human thyroid cancer                       |
| <b>IHC Recommend dilution:</b>     | 50-200  |
| <b>WB Predicted band size:</b>     | 36 kDa  |
| <b>WB Positive control:</b>        | Human kidney cancer and lung cancer tissue, human placenta tissue |
| <b>WB Recommended dilution:</b>    | 200-1000  |



