

兔抗 RPL28 多克隆抗体

- 中文名称: 兔抗 RPL28 多克隆抗体
- 英文名称: Anti-RPL28 rabbit polyclonal antibody
- 别 名: ribosomal protein L28; L28
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: RPL28
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| | Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. |
|-------------|--|
| | Together these subunits are composed of 4 RNA species |
| | and approximately 80 structurally distinct proteins. This g |
| | ene encodes a ribosomal protein that is a component of |
| | the 60S subunit. The protein belongs to the L28E family |
| Background: | of ribosomal proteins. It is located in the cytoplasm. Vari |
| | able expression of this gene in colorectal cancers compar |
| | ed to adjacent normal tissues has been observed, althou |
| | gh no correlation between the level of expression and th |
| | e severity of the disease has been found. As is typical fo |
| | r genes encoding ribosomal proteins, there are multiple |
| | processed pseudogenes of this gene dispersed through t |





| | he genome. Alternative splicing results in multiple transcr ipt variants encoding distinct isoforms. |
|-----------------------------|---|
| Applications: | ELISA, IHC |
| Name of antibody: | RPL28 |
| Immunogen: | Fusion protein of human RPL28 |
| Full name: | ribosomal protein L28 |
| Synonyms: | L28 |
| SwissProt: | P46779 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human thyroid cancer |
| IHC Recommend dilution: | 40-200 |

