

兔抗 RPLP2 多克隆抗体

- 中文名称: 兔抗 RPLP2 多克隆抗体
- 英文名称: Anti-RPLP2 rabbit polyclonal antibody
- 别名: P2; LP2; RPP2; D11S2243E
- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗原: RPLP2
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal


技术规格

| Background: | Ribosomes, the organelles that catalyze protein sy nthesis, consist of a small 40S subunit and a larg e 60S subunit. Together these subunits are comp osed of 4 RNA species and approximately 80 stru cturally distinct proteins. This gene encodes a rib osomal phosphoprotein that is a component of t he 60S subunit. The protein, which is a functional equivalent of the E. coli L7/L12 ribosomal protein, belongs to the L12P family of ribosomal proteins. It plays an important role in the elongation step of protein synthesis. Unlike most ribosomal protei ns, which are basic, the encoded protein is acidic. |
|---------------|---|
| Applications: | ELISA, WB, IHC |



全国订货电话 4008-723-722

| Name of antibody: | RPLP2 |
|-----------------------------|---|
| Immunogen: | Fusion protein of human RPLP2 |
| Full name: | ribosomal protein, large, P2 |
| Synonyms : | P2; LP2; RPP2; D11S2243E |
| SwissProt: | P05387 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human lung cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 12 kDa |
| WB Positive control: | Raji, K562, A549, hepg2, PC3 and hela cells |
| WB Recommended dilution: | 1000-5000 |





全国订货电话 4008-723-722

