

兔抗 NGEF 多克隆抗体

中文名称: 兔抗 NGEF 多克隆抗体

英文名称: Anti-NGEF rabbit polyclonal antibody

别 名: neuronal guanine nucleotide exchange factor; EPHEXIN; ARHGEF27

抗 原: NGEF

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

相关类别: 一抗

克隆类型: rabbit polyclonal

技术规格

| | · · · · · · · · · · · · · · · · · · · |
|-------------------|---|
| | Acts as a guanine nucleotide exchange factor (GEF) which differentially activates the GTPases RHOA, RAC1 and CDC4 2. Plays a role in axon guidance regulating ephrin-induce |
| | d growth cone collapse and dendritic spine morphogenesi |
| Background: | s. Upon activation by ephrin through EPHA4, the GEF acti |
| | vity switches toward RHOA resulting in its activation. Activ |
| | ated RHOA promotes cone retraction at the expense of R |
| | AC1- and CDC42-stimulated growth cone extension (By si |
| | milarity). |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | NGEF |
| Immunogen: | Fusion protein of human NGEF |
| Full name: | neuronal guanine nucleotide exchange factor |
| Synonyms: | EPHEXIN; ARHGEF27 |



全国订货电话 4008-723-722

| SwissProt: | Q8N5V2 |
|------------------------------------|---|
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human tonsil and Human liver cancer |
| IHC Recommend dilution: | 30-150 |
| WB Predicted band size: | 82 kDa |
| WB Positive control: | Rat brain tissue and Mouse brain tissue lysates |
| WB Recommended dilution: | 500-2000 |







