

兔抗 NR3C1(Ab-211) 多克隆抗体

中文名称: 兔抗 NR3C1(Ab-211) 多克隆抗体

英文名称: Anti-NR3C1(Ab-211) rabbit polyclonal antibody

别名: GR; GCR; GRL; GCCR; GCRST

相关类别: 一抗

储存: 冷冻 (-20℃) 避光

宿主: Rabbit

抗原: NR3C1(Ab-211)

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes glucocorticoid receptor, which can function both as a transcription factor that binds to glucocorticoid response elements in the promoters of glucocorticoid responsive genes to activate their transcription, and as a regulator of other transcription factors. This receptor is typically found in the cytoplasm, but upon ligand binding, is transported into the nucleus. |
| Applications: | WB, IHC, IF |
| Name of antibody: | NR3C1(Ab-211) |
| Immunogen: | Synthesized non-phosphopeptide derived from human GR around the phosphorylation site of serine 211 (N-E-S-P-W). |
| Full name: | nuclear receptor subfamily 3, group C, member 1 (glucocorticoid receptor) |

| | |
|---------------------------------|--|
| Synonyms : | GR; GCR; GRL; GCCR; GCRST |
| SwissProt: | P04150 |
| IHC positive control: | Human breast carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 86 kDa |
| WB Positive control: | Hela cells treated with PMA (125ng/ml, 30min) lysate |
| WB Recommended dilution: | 500-3000 |
| IF positive control: | A549 cells |
| IF Recommend dilution: | 100-500 |



