

兔抗 PPBP 多克隆抗体

中文名称: 兔抗 PPBP 多克隆抗体

英文名称: Anti-PPBP rabbit polyclonal antibody

别 名: PBP; TC1; TC2; TGB; LDGF; MDGF; TGB1; B-TG1; CTAP3; CXCL7; NAP-2; SCYB7;

THBGB; LA-PF4; THBGB1; Beta-TG; CTAPIII; CTAP-III

储 存: 冷冻(-20℃)

抗 原: PPBP

宿 主: Rabbit

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

相关类别: 一抗

技术规格

| Background: | The protein encoded by this gene is a platelet-derived g rowth factor that belongs to the CXC chemokine family. This growth factor is a potent chemoattractant and activ ator of neutrophils. It has been shown to stimulate vario us cellular processes including DNA synthesis, mitosis, gl ycolysis, intracellular cAMP accumulation, prostaglandin E 2 secretion, and synthesis of hyaluronic acid and sulfate d glycosaminoglycan. It also stimulates the formation and secretion of plasminogen activator by synovial cells. The protein also is an antimicrobial protein with bactericida I and antifungal activity. |
|-------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | PPBP |



全国订货电话 4008-723-722

| Immunogen: | Synthetic peptide of human PPBP |
|------------------------------------|--|
| Full name: | pro-platelet basic protein (chemokine (C-X-C motif) ligan d 7) |
| Synonyms : | PBP; TC1; TC2; TGB; LDGF; MDGF; TGB1; B-TG1; CTAP3; CXCL7; NAP-2; SCYB7; THBGB; LA-PF4; THBGB1; Beta-TG; CTAPIII; CTAP-III |
| SwissProt: | P02775 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human thyroid cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 14 kDa |
| WB Positive control: | Human plasma solution |
| WB Recommended dilution: | 1000-5000 |





