

兔抗 PPIA 多克隆抗体

中文名称:	兔抗 PPIA 多克隆抗体
英文名称:	Anti-PPIA rabbit polyclonal antibody
别名:	CYPA; CYPH; HEL-S-69p
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	PPIA
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	This gene encodes a member of the peptidyl-prolyl cis-trans isomerase (PPIase) family. PPIases catalyze the cis-trans isomerization of proline imidic peptide bonds in oligopeptides and accelerate the folding of proteins. The encoded protein is a cyclosporin binding-protein and may play a role in cyclosporin A-mediated immunosuppression. The protein can also interact with several HIV proteins, including p55 gag, Vpr, and capsid protein, and has been shown to be necessary for the formation of infectious HIV virions.
Applications:	ELISA, WB, IHC
Name of antibody:	PPIA
Immunogen:	Fusion protein of human PPIA
Full name:	peptidylprolyl isomerase A (cyclophilin A)

Synonyms :	CYPA; CYPH; HEL-S-69p
SwissProt:	P62937
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	40-150
WB Predicted band size:	18 kDa
WB Positive control:	PC3, Raji, NIH/3T3, K562, hela, hepg2 and Jurkat cells
WB Recommended dilution:	500-2000



