

兔抗 CLU 多克隆抗体

- 中文名称: 兔抗 CLU 多克隆抗体
- 英文名称: Anti-CLU rabbit polyclonal antibody
- 别 名: CLI; AAG4; APOJ; CLU1; CLU2; KUB1; SGP2; APO-J; SGP-2; SP-40; TRPM2; TRPM-2; NA1/NA2
- 储 存: 冷冻 (-20℃)
- 抗 原: CLU
- 宿 主: Rabbit
- 反应种属: Human, Mouse
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal


技术规格

Background:	The protein encoded by this gene is a secreted chap erone that can under some stress conditions also be found in the cell cytosol. It has been suggested to b e involved in several basic biological events such as cell death, tumor progression, and neurodegenerative disorders. Alternate splicing results in both coding a nd non-coding variants.
Applications:	ELISA, WB, IHC
Name of antibody:	CLU
Immunogen:	Synthetic peptide of human CLU
Full name:	clusterin
Synonyms:	CLI; AAG4; APOJ; CLU1; CLU2; KUB1; SGP2; APO-J; S




全国订货电话 4008-723-722

	GP-2; SP-40; TRPM2; TRPM-2; NA1/NA2
SwissProt:	P10909
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human tonsil
IHC Recommend dilution:	50-100
WB Predicted band size:	52 kDa
WB Positive control:	Mouse brain tissue lysate
WB Recommended dilution:	500-2000





全国订货电话 4008-723-722





全国订货电话 4008-723-722

