

兔抗 PRKCD 多克隆抗体

中文名称: 兔抗 PRKCD 多克隆抗体

英文名称: Anti-PRKCD rabbit polyclonal antibody

别 名: MAY1; PKCD; nPKC-delta

相关类别: 一抗

抗原: PRKCD

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

ne-specific protein kinases that can be activated by calci um and the second messenger diacylglycerol. PKC famil y members phosphorylate a wide variety of protein targ ets and are known to be involved in diverse cellular sig naling pathways. PKC family members also serve as maj or receptors for phorbol esters, a class of tumor promot ers. Each member of the PKC family has a specific expression profile and is believed to play distinct roles in cells. The protein encoded by this gene is one of the PKC family members. Studies both in human and mice demonstrate that this kinase is involved in B cell signaling and in the regulation of growth, apoptosis, and differentia

tion of a variety of cell types. Alternatively spliced trans


Protein kinase C (PKC) is a family of serine- and threoni



全国订货电话 4008-723-722

	cript variants encoding the same protein have been obs erved.
Applications:	ELISA, WB, IHC
Name of antibody:	PRKCD
Immunogen:	Fusion protein of human PRKCD
Full name:	protein kinase C, delta
Synonyms:	MAY1; PKCD; nPKC-delta
SwissProt:	Q05655
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	78 kDa
WB Positive control:	Mouse brain tissue
WB Recommended dilution:	200-1000





全国订货电话 4008-723-722

