

兔抗 DDB2 多克隆抗体

中文名称: 兔抗 DDB2 多克隆抗体

英文名称: Anti-DDB2 rabbit polyclonal antibody

别 名: XPE; DDBB; UV-DDB2

抗 原: DDB2

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

mplex mediates the ubiquitylation of histones H3 and H
4, which facilitates the cellular response to DNA damage

This subunit appears to be required for DNA binding.

Mutations in this gene cause xeroderma pigmentosum c
omplementation group E, a recessive disease that is char
acterized by an increased sensitivity to UV light and a hi
gh predisposition for skin cancer development, in some

ound for this gene.


This gene encodes a protein that is necessary for the re pair of ultraviolet light-damaged DNA. This protein is th e smaller subunit of a heterodimeric protein complex th at participates in nucleotide excision repair, and this co

cases accompanied by neurological abnormalities. Two tr anscript variants encoding different isoforms have been f



全国订货电话 4008-723-722

| Applications: | ELISA, IHC |
|------------------------------------|--|
| Name of antibody: | DDB2 |
| Immunogen: | Fusion protein of human DDB2 |
| Full name: | damage-specific DNA binding protein 2 |
| Synonyms: | XPE; DDBB; UV-DDB2 |
| SwissProt: | Q92466 |
| ELISA Recommended dilution: | 1000-2000 |
| IHC positive control: | Human esophagus cancer and human colorectal cancer |
| IHC Recommend dilution: | 25-100 |





全国订货电话

