

## 兔抗 TRIM71 多克隆抗体

中文名称: 兔抗 TRIM71 多克隆抗体

英文名称: Anti-TRIM71 rabbit polyclonal antibody

别 名: LIN41; LIN-41

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: TRIM71

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

**Background:** 


eterochronic protein Lin41, a protein that is thought to be important in postembryonic development, and is g enetically and biochemically downstream of both Shh a nd Fgf signaling pathways. Similar to its C. elegans ho molog, TRIM71 is a target of the microRNA let-7 and is likely to play a role in mammalian development. Rec ent experiments have indicated that TRIM71 is an E3 u biquitin ligase and can interact with the Dicer and the Argonaute proteins Ago1, Ago2, and Ago4. Overexpression and depletion of TRIM71 led to inverse changes in Ago2 protein levels, suggesting TRIM71 can regulate Ago2 turnover. Finally, TRIM71 cooperates with the plu

TRIM71 is the mammalian ortholog to the C. elegans h



## 全国订货电话 4008-723-722

|                             | ripotency factor Lin-28 in regulating let-7. May be involved in controlling the timing of organ formation during development. |
|-----------------------------|---|
| Applications:               | ELISA, IHC  |
| Name of antibody:           | TRIM71  |
| Immunogen:                  | Synthetic peptide of human TRIM71   |
| Full name:                  | tripartite motif containing 71, E3 ubiquitin protein ligas e  |
| Synonyms:                   | LIN41; LIN-41   |
| SwissProt:                  | Q2Q1W2  |
| ELISA Recommended dilution: | 5000-10000  |
| IHC positive control:       | Human liver cancer and human esophagus cancer   |
| IHC Recommend dilution:     | 25-100  |





## 全国订货电话 4008-723-722

