

## 兔抗 MADD 多克隆抗体

中文名称：兔抗 MADD 多克隆抗体

英文名称：Anti-MADD rabbit polyclonal antibody

别名：DENN; IG20; RAB3GEP

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：MADD

宿主：Rabbit

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | Tumor necrosis factor alpha (TNF-alpha) is a signaling molecule that interacts with one of two receptors on cells targeted for apoptosis. The apoptotic signal is transduced inside these cells by cytoplasmic adaptor proteins. The protein encoded by this gene is a death domain-containing adaptor protein that interacts with the death domain of TNF-alpha receptor 1 to activate mitogen-activated protein kinase (MAPK) and propagate the apoptotic signal. It is membrane-bound and expressed at a higher level in neoplastic cells than in normal cells. Several transcript variants encoding different isoforms have been described for this gene. |
| <b>Applications:</b>     | WB, IHC, IF   |
| <b>Name of antibody:</b> | MADD  |

|                                 |   |
|---------------------------------|---|
| <b>Immunogen:</b>               | Synthesized peptide derived from internal of human M ADD. |
| <b>Full name:</b>               | MAP-kinase activating death domain                        |
| <b>Synonyms :</b>               | DENN; IG20; RAB3GEP                                       |
| <b>SwissProt:</b>               | Q8WXG6  |
| <b>IHC positive control:</b>    | Human brain tissue  |
| <b>IHC Recommend dilution:</b>  | 50-100  |
| <b>WB Predicted band size:</b>  | 183 kDa   |
| <b>WB Positive control:</b>     | COLO cells, Hela cells and Jurkat cells lysates           |
| <b>WB Recommended dilution:</b> | 500-3000  |
| <b>IF positive control:</b>     | A549 cells  |
| <b>IF Recommend dilution:</b>   | 100-500   |



