

兔抗 SLC25A13 多克隆抗体

中文名称：兔抗 SLC25A13 多克隆抗体

英文名称： Anti-SLC25A13 rabbit polyclonal antibody

别名： CTLN2; CITRIN; ARALAR2

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： SLC25A13

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene is a member of the mitochondrial carrier family. The encoded protein contains four EF-hand Ca(2+) binding motifs in the N-terminal domain, and localizes to mitochondria. The protein catalyzes the exchange of aspartate for glutamate and a proton across the inner mitochondrial membrane, and is stimulated by calcium on the external side of the inner mitochondrial membrane. Mutations in this gene result in citrullinemia, type II. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC

Name of antibody:	SLC25A13
Immunogen:	Fusion protein of human SLC25A13
Full name:	solute carrier family 25 (aspartate/glutamate carrier), member 13
Synonyms :	CTLN2; CITRIN; ARALAR2
SwissProt:	Q9UJS0
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and human liver cancer
IHC Recommend dilution:	25-100
WB Recommended dilution:	500-2000
WB Positive control:	Hepg2, A172 and Raji cells
WB Predicted band size:	74 kDa



