

## 兔抗 SLC25A27 多克隆抗体

中文名称: 兔抗 SLC25A27 多克隆抗体

英文名称: Anti-SLC25A27 rabbit polyclonal antibody

别 名: solute carrier family 25 member 27; UCP4

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: SLC25A27

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

**Background:** 

Mitochondrial uncoupling proteins (UCP) are me mbers of the larger family of mitochondrial anio n carrier proteins (MACP). UCPs separate oxidati ve phosphorylation from ATP synthesis with ener gy dissipated as heat, also referred to as the mi tochondrial proton leak. UCPs facilitate the trans fer of anions from the inner to the outer mitoch ondrial membrane and the return transfer of pro tons from the outer to the inner mitochondrial membrane. They also reduce the mitochondrial membrane potential in mammalian cells. Tissue s



	pecificity occurs for the different UCPs and the exact methods of how UCPs transfer H+/OH- ar e not known. UCPs contain the three homologo us protein domains of MACPs. Transcripts of this gene are only detected in brain tissue and are specifically modulated by various environmental conditions. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	SLC25A27
Immunogen:	Synthetic peptide of human SLC25A27
Full name:	solute carrier family 25 member 27
Synonyms:	UCP4
SwissProt:	O95847
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	36 kDa
WB Positive control:	Mouse brain tissue and Rat brain tissue lysates
WB Recommended dilution:	500-2000









