

兔抗 SPCS2 多克隆抗体

中文名称：兔抗 SPCS2 多克隆抗体

英文名称：Anti-SPCS2 rabbit polyclonal antibody

相关类别：一抗

抗 原：SPCS2

储 存：冷冻 (-20℃)

宿 主：Rabbit

反应种属：Human, Mouse, Rat

标 记 物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

SPCS2 (signal peptidase complex subunit 2), also known as SPC25 or microsomal signal peptidase 25 kDa subunit, is a 226 amino acid multi-pass membrane protein that localizes to both the microsome and the endoplasmic reticulum (ER), and belongs to the SPCS (signal peptidase complex subunit) family. Existing as a component of the microsomal signal peptidase complex which consists of five members, SPCS2 removes signal peptides from nascent proteins as they are translocated into the lumen of the ER. The gene encoding SPCS 2 is located on human chromosome 11, which houses over 1,400 genes and comprises nearly 4%

	of the human genome.
Applications:	ELISA, WB, IHC
Name of antibody:	SPCS2
Immunogen:	Fusion protein of human SPCS2
Full name:	signal peptidase complex subunit 2
SwissProt:	Q15005
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human gastric cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	25 kDa
WB Positive control:	Rat lung tissue, HT-29 cell, Mouse adrenal gland tissue and K-562 cell
WB Recommended dilution:	500-2000



