

兔抗 SRC (Phospho-Tyr529)多克隆抗体

中文名称： 兔抗 SRC (Phospho-Tyr529)多克隆抗体

英文名称： Anti-SRC (Phospho-Tyr529) rabbit polyclonal antibody

别名： ASV; SRC1; c-SRC; p60-Src

相关类别： 一抗

储存： 冷冻（-20℃） 避光

宿主： Rabbit

抗原： SRC (Phospho-Tyr529)

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	proto-oncogenic cytoplasmic tyrosine kinase of the SRC family. Highly expressed in certain fully differentiated cells such as neurons, platelets and macrophages. Phosphorylation of an activation loop tyrosine activates the enzyme; phosphorylation of a tyrosine in the C-terminus by Csk inhibits the enzyme.
Applications:	WB, IHC, IF
Name of antibody:	SRC (Phospho-Tyr529)
Immunogen:	Synthetic peptide of human SRC (Phospho-Tyr529)
Full name:	v-src sarcoma (Schmidt-Ruppin A-2) viral oncogene homolog (avian) (Phospho-Tyr529)

Synonyms :	ASV; SRC1; c-SRC; p60-Src
SwissProt:	P12931
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	60 kDa
WB Positive control:	HT29 cells untreated or treated with PMA
WB Recommended dilution:	500-1000
IF Positive control:	Hela cells
IF Recommended dilution	100-200



