

兔抗 ST6GAL1 多克隆抗体

中文名称: 兔抗 ST6GAL1 多克隆抗体

英文名称: Anti-ST6GAL1 rabbit polyclonal antibody

别 名: ST6N; SIAT1; ST6Gall

抗原: ST6GAL1

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

反应种属: Human Mouse

相关类别: 一抗

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

his gene encodes a member of glycosyltransferase family 29. The encoded protein is a type II membr ane protein that catalyzes the transfer of sialic acid from CMP-sialic acid to galactose-containing substr ates. The protein, which is normally found in the G olgi but can be proteolytically processed to a solu ble form, is involved in the generation of the cell-s urface carbohydrate determinants and differentiation antigens HB-6, CD75, and CD76. This gene has been incorrectly referred to as CD75. Three transcript variants encoding two different isoforms have be



	en described.
Applications:	WB, IHC
Name of antibody:	ST6GAL1
Immunogen:	Synthesized peptide derived from internal of huma n ST6GAL1.
Full name:	ST6 beta-galactosamide alpha-2,6-sialyltranferase 1
Synonyms:	ST6N; SIAT1; ST6GalI
SwissProt:	P15907
IHC positive control:	Human prostate carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	47 kDa
WB Positive control:	RAW264.7 cells lysate
WB Recommended dilution:	500-3000





