

兔抗 STAT1 多克隆抗体

中文名称: 兔抗 STAT1 多克隆抗体

英文名称: Anti-STAT1 rabbit polyclonal antibody

别 名: ISGF-3, STAT91

相关类别: 一抗

抗 原: STAT1

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and gro wth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form ho mo- or heterodimers that translocate to the cell nucle us where they act as transcription activators. This prot ein can be activated by various ligands including inter feron-alpha, interferon-gamma, EGF, PDGF and IL6. Thi s protein mediates the expression of a variety of gen es, which is thought to be important for cell viability in response to different cell stimuli and pathogens. T



stinct isoforms have been described. Applications: Rame of antibody: Immunogen: Star1 Fusion protein of human STAT1		
Name of antibody: Immunogen: Full name: Signal transducer and activator of transcription 1-alp a/beta Synonyms: ISGF-3, STAT91 SwissProt: P42224 ELISA Recommended dilution: FULL positive control: Human lung cancer HUC Recommend dilution: 15-60		wo alternatively spliced transcript variants encoding di stinct isoforms have been described.
Immunogen:Fusion protein of human STAT1Full name:Signal transducer and activator of transcription 1-alp a/betaSynonyms:ISGF-3, STAT91SwissProt:P42224ELISA Recommended dilution:500-2000IHC positive control:Human lung cancerIHC Recommend dilution:15-60	Applications:	ELISA, WB, IHC
Full name: Signal transducer and activator of transcription 1-alp a/beta Synonyms: ISGF-3, STAT91 P42224 ELISA Recommended dilution: 500-2000 IHC positive control: Human lung cancer IHC Recommend dilution: 15-60	Name of antibody:	STAT1
Full name: a/beta Synonyms: ISGF-3, STAT91 SwissProt: P42224 ELISA Recommended dilution: 500-2000 IHC positive control: Human lung cancer IHC Recommend dilution: 15-60	Immunogen:	Fusion protein of human STAT1
SwissProt: P42224 ELISA Recommended dilution: 500-2000 IHC positive control: Human lung cancer IHC Recommend dilution: 15-60	Full name:	Signal transducer and activator of transcription 1-alph a/beta
ELISA Recommended dilution: 500-2000 IHC positive control: Human lung cancer IHC Recommend dilution: 15-60	Synonyms:	ISGF-3, STAT91
IHC positive control: Human lung cancer IHC Recommend dilution: 15-60	SwissProt:	P42224
IHC Recommend dilution: 15-60	ELISA Recommended dilution:	500-2000
	IHC positive control:	Human lung cancer
WB Predicted band size: 87 kDa	IHC Recommend dilution:	15-60
	WB Predicted band size:	87 kDa
WB Positive control: NIH/3T3 cells	WB Positive control:	NIH/3T3 cells
WB Recommended dilution: 250-1000	WB Recommended dilution:	250-1000





