

兔抗 TCF25 多克隆抗体

中文名称：兔抗 TCF25 多克隆抗体

英文名称：Anti-TCF25 rabbit polyclonal antibody

别名：transcription factor 25; Hulp1; NULP1; FKSG26; PRO2620; hKIAA1049

相关类别：一抗

储存：冷冻（-20℃）

抗原：TCF25

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|------------------------------------|--|
| Background: | May play a role in cell death control. Acts as a transcriptional repressor. Has been shown to repress transcription of SRF in vitro and so may play a role in heart development. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | TCF25 |
| Immunogen: | Fusion protein of human TCF25 |
| Full name: | transcription factor 25 |
| Synonyms: | Hulp1; NULP1; FKSG26; PRO2620; hKIAA1049 |
| SwissProt: | Q9BQ70 |
| ELISA Recommended dilution: | 5000-10000 |

| | |
|---------------------------------|--|
| IHC positive control: | Human esophagus cancer and Human breast cancer |
| IHC Recommend dilution: | 40-200 |
| WB Predicted band size: | 77 kDa |
| WB Positive control: | Hela cell, Jurkat cell, NIH/3T3 cell, Human fetal brain tissue, 293T cell, K562 cell lysates |
| WB Recommended dilution: | 500-2000 |





