

兔抗 TDP2 多克隆抗体

中文名称：兔抗 TDP2 多克隆抗体

英文名称：Anti-TDP2 rabbit polyclonal antibody

别名：EAP2; AD022; EAPII; TTRAP; hTDP2; dJ30M3.3

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：TDP2

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of a superfamily of divalent cation-dependent phosphodiesterases. The encoded protein associates with CD40, tumor necrosis factor (TNF) receptor-75 and TNF receptor associated factors (TRAFs), and inhibits nuclear factor-kappa-B activation. This protein has sequence and structural similarities with APE1 endonuclease, which is involved in both DNA repair and the activation of transcription factors.
Applications:	ELISA, WB, IHC
Name of antibody:	TDP2

Immunogen:	Synthetic peptide of human TDP2
Full name:	tyrosyl-DNA phosphodiesterase 2
Synonyms:	EAP2; AD022; EAPII; TTRAP; hTDP2; dJ30M3.3
SwissProt:	O95551
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human thyroid cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	41 kDa
WB Positive control:	Mouse small intestines tissue lysate
WB Recommended dilution:	500-2000



