

兔抗 ALDH2 多克隆抗体

| | |
|-------|---------------------------------------|
| 中文名称: | 兔抗 ALDH2 多克隆抗体 |
| 英文名称: | Anti-ALDH2 rabbit polyclonal antibody |
| 别名: | ALDM; ALDHI; ALDH-E2 |
| 抗原: | ALDH2 |
| 储存: | 冷冻 (-20℃) |
| 宿主: | Rabbit |
| 反应种属: | Human, Mouse, Rat |
| 相关类别: | 一抗 |
| 标记物: | Unconjugate |
| 克隆类型: | rabbit polyclonal |

技术规格

| | |
|--------------------------|--|
| Background: | This protein belongs to the aldehyde dehydrogenase family of proteins. Aldehyde dehydrogenase is the second enzyme of the major oxidative pathway of alcohol metabolism. Two major liver isoforms of aldehyde dehydrogenase, cytosolic and mitochondrial, can be distinguished by their electrophoretic mobilities, kinetic properties, and subcellular localizations. Most Caucasians have two major isozymes, while approximately 50% of Orientals have the cytosolic isozyme but not the mitochondrial isozyme. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | ALDH2 |
| Immunogen: | Synthetic peptide of human ALDH2 |
| Full name: | aldehyde dehydrogenase 2 family (mitochondrial) |
| Synonyms : | ALDM; ALDHI; ALDH-E2 |
| SwissProt: | P05091 |

| | |
|-----------------------------|--------------------------|
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human breast cancer |
| IHC Recommend dilution: | 20-100 |
| WB Predicted band size: | 56 kDa |
| WB Positive control: | Human lung cancer tissue |
| WB Recommended dilution: | 500-2000 |

