

## 兔抗 BIRC3 多克隆抗体

中文名称：兔抗 BIRC3 多克隆抗体

英文名称：Anti-BIRC3 rabbit polyclonal antibody

别名：baculoviral IAP repeat containing 3; AIP1; API2; MIHC; CIAP2; HAIP1; HIAP1; IAP-1; MALT2; RNF49; c-IAP2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：BIRC3

反应种属：Human


标记物：Unconjugate


克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene encodes a member of the IAP family of proteins that inhibit apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. The encoded protein inhibits apoptosis induced by serum deprivation but does not affect apoptosis resulting from exposure to menadione, a potent inducer of free radicals. It contains 3 baculovirus IAP repeats and a ring finger domain. Transcript variants encoding the same isoform have been identified.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	BIRC3
<b>Immunogen:</b>	Fusion protein of human BIRC3

<b>Full name:</b>	baculoviral IAP repeat containing 3
<b>Synonyms:</b>	AIP1; API2; MIHC; CIAP2; HAIP1; HIAP1; IAP-1; MALT2; RNF49; c-IAP2
<b>SwissProt:</b>	Q13489
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human esophagus cancer and Human tonsil
<b>IHC Recommend dilution:</b>	100-200





kDa

250—

130—

95—

72—

55—

36—

28—

