

## 兔抗 C8G 多克隆抗体

中文名称:	兔抗 C8G 多克隆抗体
英文名称:	Anti-C8G rabbit polyclonal antibody
别名:	C8C
相关类别:	一抗
抗原:	C8G
储存:	冷冻 (-20℃)
宿主:	Rabbit
反应种属:	Human
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	The protein encoded by this gene belongs to the lipocalin family. It is one of the three subunits that constitutes complement component 8 (C8), which is composed of a disulfide-linked C8 alpha-gamma heterodimer and a non-covalently associated C8 beta chain. C8 participates in the formation of the membrane attack complex (MAC) on bacterial cell membranes. While subunits alpha and beta play a role in complement-mediated bacterial killing, the gamma subunit is not required for the bactericidal activity.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	C8G
<b>Immunogen:</b>	Full length fusion protein

<b>Full name:</b>	complement component 8, gamma polypeptide
<b>Synonyms :</b>	C8C
<b>SwissProt:</b>	P07360
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human cervical cancer and Human tonsil
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	22 kDa
<b>WB Positive control:</b>	Human colorectal cancer tissue
<b>WB Recommended dilution:</b>	200-1000



