

兔抗 CD48 多克隆抗体

中文名称:	兔抗 CD48 多克隆抗体
英文名称:	Anti-CD48 rabbit polyclonal antibody
别名:	CD48 molecule; BCM1; BLAST; hCD48; mCD48; BLAST1; SLAMF2; MEM-102
抗原:	CD48
储存:	冷冻 (-20℃)
宿主:	Rabbit
反应种属:	Human
相关类别:	一抗
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	This gene encodes a member of the CD2 subfamily of immunoglobulin-like receptors which includes SLAM (signaling lymphocyte activation molecules) proteins. The encoded protein is found on the surface of lymphocytes and other immune cells, dendritic cells and endothelial cells, and participates in activation and differentiation pathways in these cells. The encoded protein does not have a transmembrane domain, however, but is held at the cell surface by a GPI anchor via a C-terminal domain which may be cleaved to yield a soluble form of the receptor. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC

Name of antibody:	CD48
Immunogen:	Fusion protein of human CD48
Full name:	CD48 molecule
Synonyms:	BCM1; BLAST; hCD48; mCD48; BLAST1; SLAMF2; MEM-102
SwissProt:	P09326
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	40-200
WB Predicted band size:	28 kDa
WB Positive control:	Raji, Jurkat, K562 and 231 cell, Human kidney tissue lysates
WB Recommended dilution:	500-2000



