

小鼠抗 TBL1X 单克隆抗体

- 中文名称： 小鼠抗 TBL1X 单克隆抗体
- 英文名称： Anti-TBL1X mouse monoclonal antibody
- 别名： transducin beta like 1X-linked; EBI; TBL1; SMAP55
- 相关类别： 一抗
- 储存： 冷冻（-20℃）
- 宿主： Mouse
- 抗原： TBL1X
- 反应种属： Human
- 标记物： Unconjugate
- 克隆类型： Mouse Monoclonal

技术规格

Background:

The protein encoded by this gene has sequence similarity with members of the WD40 repeat-containing protein family. The WD 40 group is a large family of proteins, which appear to have a regulatory function. It is believed that the WD40 repeats mediate protein-protein interactions and members of the family are involved in signal transduction, RNA processing, gene regulation, vesicular trafficking, cytoskeletal assembly and may play a role in the control of cytotypic differentiation. This encoded protein is found as a subunit in corepressor SMRT (silencing mediator for retinoid and thyroid receptors) complex along with histone deacetylase 3 protein. This gene is located adjacent to the ocular albinism gene and it is thought to be involved in the pathogenesis of the ocular albinism with late-onset sensorineural deafness phenotype. F

	our transcript variants encoding two different isoforms have been found for this gene. This gene is highly similar to the Y chromosome TBL1Y gene.
Applications:	WB, IF
Name of antibody:	TBL1X
Immunogen:	Fusion protein of human TBL1X
Full name:	transducin beta like 1X-linked
Synonyms:	EBI; TBL1; SMAP55
SwissProt:	O60907
WB Predicted band size:	62 kDa
WB Positive control:	SW480 cell lysate
WB Recommended dilution:	1000-5000
IF positive control:	Hela cells
IF Recommend dilution :	50-100



