

兔抗 GOLGA2 多克隆抗体

中文名称: 兔抗 GOLGA2 多克隆抗体

英文名称: Anti-GOLGA2 rabbit polyclonal antibody

别 名: GM130

相关类别: 一抗

抗 原: GOLGA2

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

ed cisternae (flattened membrane sacs). Interacti ons between the Golgi and microtubules are tho ught to be important for the reorganization of t he Golgi after it fragments during mitosis. This gene encodes one of the golgins, a family of pr oteins localized to the Golgi. This encoded prote in has been postulated to play roles in the stack ing of Golgi cisternae and in vesicular transport.


The Golgi apparatus, which participates in glycos ylation and transport of proteins and lipids in the secretory pathway, consists of a series of stack

Several alternatively spliced transcript variants of this gene have been described, but the full-lengt



全国订货电话 4008-723-722

	h nature of these variants has not been determined.
Applications:	ELISA, WB, IHC
Name of antibody:	GOLGA2
Immunogen:	Fusion protein of human GOLGA2
Full name:	golgin A2
Synonyms:	GM130
SwissProt:	Q08379
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer and human liver cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	113 kDa
WB Positive control:	293T, Hela, A172 and A549 cells
WB Recommended dilution:	500-2000





全国订货电话 4008-723-722

